
## Sun, Space Weather, and Solar-Stellar Connection



Contribution ID: 5 Type: Poster

## Solar EUV, UV & X-ray Irradiance Variability and Their Impacts on Earth's Climate and Space Weather

Solar EUV, UV & X-ray Irradiance Variability and Their Impacts on Earth's Climate and Space Weather

- R. Kariyappa (1, 3), H.N. Adithya (2), S. Masuda (3), K. Kusano (3),
- S. Imada (4), J. Zender (5), L. Dame (6), E. Deluca (7), M. Weber (7) & T. Matsumoto (3)
- (1) Indian Institute of Astrophysics, Bangalore 560034, India
- (2) Manipal Centre for Natural Sciences, Manipal University, Manipal-576104, India
- (3) Institute for Space-Earth Environmental Research (ISEE), Nagoya University, Nagoya, Japan
- (4) Department of Earth and Planetary Science, The University of Tokyo, Tokyo, Japan
- (5) European Space Research and Technology Center (ESTEC), Noordwijk, The Netherlands
- (6) LATMOS (Laboratoire Atmosph'eres, Milieux, Observations Spatiales), France
- (7) Harvard-Smithsonian Center for Astrophysics, Cambridge, MA, USA

It is important to study the variabilities of solar EUV, UV and X-ray irradiance in heliophysics, in Earths climate, and space weather applications. Since the radiative output of the Sun is one of the main driving forces of the terrestrial atmosphere and climate system, the study of solar energy has become of great interest and importance. Although the solar energy flux integrated over the entire spectrum is considered to be one of the major natural forces of the Earths climate system, studying the extreme ultraviolet (EUV), ultraviolet (UV) and X-ray irradiance variability is particularly important in solar and terrestrial physics. The solar EUV, UV and X-ray fluxes play in particular a major role in the heating of the Earths atmosphere and Solar-Terrestrial relationships. Thus it is an important issue to understand their variability and its applications in Earths climate and space weather.

In this paper we discuss the variability of the total intensity, temperature and magnetic field of different coronal features such as active regions (ARs), coronal holes (CHs), X-ray bright points (XBPs) and background regions (BGs) for Solar Cycle 24. The contribution of all these features to total energy flux over the full disk will be determined, including the total temperature and magnetic field. The magnetic field is the main source of all the surface features of the Sun. The role of magnetic field on the variability of intensity and temperature of the coronal features and the impacts of EUV/UV/X-ray irradiance variability on Earth's Climate & Space Weather is discussed in great detail in this paper.

## **Contribution Type**

Poster

## Theme

Solar Magnetism over Long-Time Scales

Primary author: Prof. RANGAIAH, Kariyappa (Indian Institute of Astrophysics)

Co-authors: Mr H. N., Adithya (Manipal Centre for Natural Sciences, Manipal University, Manipal-576104, India); Dr DELUCA, Ed (Harvard-Smithsonian Center for Astrophysics, Cambridge, MA, USA); Dr ZENDER, J. (European Space Research and Technology Center (ESTEC), Noordwijk, The Netherlands); Dr KUSANO, Kanya (Institute for Space-Earth Environmental Research (ISEE), Nagoya University, Nagoya, Japan); Dr DAME, Luc (LATMOS (Laboratoire Atmosph'eres, Milieux, Observations Spatiales), France); Dr WEBER, Mark (Harvard-Smithsonian Center for Astrophysics, Cambridge, MA, USA); Dr IMADA, S. (Department of Earth and Planetary Science, The University of Tokyo, Tokyo, Japan); Dr MASUDA, Satoshi (Institute for Space-Earth Environmental Research (ISEE), Nagoya University, Nagoya, Japan); Dr MATSUMOTO, Takuma (Institute for Space-Earth Environmental Research (ISEE), Nagoya University, Nagoya, Japan)

Presenter: Prof. RANGAIAH, Kariyappa (Indian Institute of Astrophysics)